
PERGINAL LAMINATE









Pergo made the first laminate floor to receive the Nordic Swan Ecolabel. Today all our laminate and wood floors share the same certification.



Floors for real life

Creating a floor that looks and feels like the real thing is all about capturing the details. At Pergo, it's an experience that goes beyond the visual. Try running your hand across one of our Sensation floors and discover that

it feels every bit as real as it looks.

As the inventor of laminate flooring we know there is more to a great floor. That's why we offer **100% water-resistance** with our AquaSafe technology to take care of accidents, and make cleaning easier. Add to that **everyday durability**, a **sustainable production process** and a **wide range of modern designs** that makes it easy to find the perfect floor for your interior. Welcome to Pergo!

Are you ready for a Sensation?

Pergo Sensation takes laminate flooring to a new level, bringing durability, natural looks and supernatural functionality that really stands out. But don't just take our word for it – visit your nearest retailer to see the difference for yourself!

Imperfection to perfection

Knots, cracks and a matt finish all play a part in creating the natural look.

True-to-nature look and feel

A deeper surface structure brings out every grain of the wood design – even down into the new refined bevels.

We've got you covered

For extra durability, the surface protection covers the entire facing of each plank – all the way into the bevels.

100% water-resistant

AquaSafe technology protects your floor from spills and liquids.






Natural looks and supernatural functionality!

Find all Sensation collections starting on page 16

3



Want to look into the future?

With the Pergo FloorLab you can see your new floor in your existing room. Just upload a picture of your interior, pick a floor from our entire range and play around with colours, designs and materials until you find the look you like.

SCANDINAVIAN SIMPLICITY

Indoors that can handle the outdoors

Leaving the cold, the wet and the dirt behind as you close the door is a great feeling. Especially when you have a floor that can take whatever you bring with you. The AquaSafe protection in our Sensation floors makes sure that water and dirt stays on the surface to either evaporate or be wiped up. An ideal choice of flooring for hallways and other parts of your home that will be exposed to the aftermath of outdoor adventures.



MODERN PLANK, BARNHOUSE OAK L0339-04307

Feel the look

The design of our Sensation floors is not limited to the visual. The texture also brings out every grain of wood, every groove of the authentic vintage planks.





WIDE LONG PLANK, BEACH TOWN OAK L0334-03870





WIDE LONG PLANK, FJORD OAK L0334-03863






Think big! In hallways and other narrow spaces, long planks add a roomy sense of volume.

Sensation wide long plank 2050 x 240 mm

Three other oak decors that also would look great in this hallway!





Want to see this floor in the real world?The Pergo FloorLab lets you install our floors in your home virtually, for the perfect try-out. Read more on pergo.com.



K

Ways to add space to a narrow hallway:

Let there be light

Generally speaking, the more light there is, the bigger a space looks.

Go big

Large floorboards make the whole interior feel bigger and airier.

Slim it down

No bulky furniture obstructing the visual flow. Use tall legs and minimal design.

Lighten up

Go for light colours that will open up the space: whites, creams and extremely light pastels will help create a bigger illusion.

Choose focus

An interesting piece of art or furniture at the end of the hall provides a place for the eye to go, which visually shortens the hallway as well.

WIDE LONG PLANK, CHALKED NORDIC OAK 10334-03865

Want to know the secret behind the durability of Pergo laminate floors? Here it is!



Every plank of a Pergo laminate floor is covered with patented TitanX[™] surface protection. This is a multilayer technology that includes aluminium oxide particles to provide superior resistance to wear and scratching. The sealed surface also contributes to making your floor hygienic and easy to clean. But the durability of a Pergo laminate floor is not just surficial. The qualitative HDF core, made of a minimum of 80% wood which is 100% recovered, provides very high resistance to dropped objects and high-heeled shoes.



Superior durability for all-round domestic use

Class 32: 25-year guarantee

Thanks to extreme durability we guarantee against wear and stains for lifetime – the best guarantee on the market.



Pergo's guarantees are subject to local law and may therefore vary from country to country. For information about guarantees in your country, contact your nearest Pergo retailer or read more at pergo.com.



Life is too short to worry about water!

The AquaSafe technology creates a sealed, 100% water-resistant surface, that extends all the way down into the bevels. This efficiently prevents water from penetrating the floor.

And not only that, it makes your floor equally resistant to dirt and stains. Like water, they simply stay on the surface and can be wiped away easily. Wide Long Plank and Modern Plank offer a 10 year and Drammen a 5 year wet warranty. On top of this, Wide Long Plank and Modern Plank offer a 10 year pet warranty See all our water-resistant floors on pages 16-17.

With AquaSafe taking care of the floor, our accessories for a water-resistant finishing seal the deal on your new interior. Read more on page 19.

Where do you need a water-resistant floor?

Hallway:

With our water-resistant floors you don't have to worry about dirt or water from outside. The sealed surface makes it all stay on the surface and makes it easy to clean.

> Kitchen and dining room: Water-resistant also means wine and sauce-proof. If you spill something, just wipe it off!

Kids' room: Who knows what they'll get up to? A water-resistant floor is good insurance.

Laundry and bathroom Even a functional space can have a beautiful floor.





wide long plank

2050 × 240 × 9.5 mm 10 year wet warranty 4-way bevel | PerfectFold



LIGHT FJORD OAK L0334-03862



SIBERIAN OAK L0334-03568



ROCKY MOUNTAIN OAK L0334-03570



FJORD OAK L0334-03863



LODGE OAK • L0334-03864



CHALKED NORDIC OAK

L0334-03865

COUNTRY OAK L0334-03590



sensation sate

modern plank

1380 × 190 × 9 mm 10 year wet warranty 4-way bevel | PerfectFold

SEASIDE OAK L0334-03571



BEACH TOWN OAK L0334-03870

NORTH CAPE OAK

L0339-04289





ISLAND OAK L0339-04297



MOORLAND OAK • L0339-04305



STOCKHOLM OAK L0339-04295



VINTAGE GREY OAK L0339-04311



TUNDRA OAK L0339-04299



SKAGEN OAK L0339-04293



MEADOW OAK L0339-04309



ESTATE OAK • L0339-04313



BARNHOUSE OAK L0339-04307



drammen

1200× 190 × 8 mm 5 year wet warranty 4-way bevel | Uniclic



WHITE GLOOM OAK L0348-05015



SANDWAVE OAK L0348-05014



ISLA OAK L0348-05016



CAPPUCCINO OAK L0348-05018







DARTMOOR OAK • L0348-05020



RICARD OAK L0348-05017



BROWN LEATHERED OAK L0348-05013



5 perfect finishes in 1

Profile solutions for different parts of your floor, all wrapped up in one handy package. The profiles match your floor perfectly in colour and the all-in-one solutions provide a seamless result. The surface is wear- and scratch-resistant laminate. With the patented lncizo[®] solution, you simply cut the profile to the shape you need. Suitable for flooring heights 7 – 10 mm.



 $\label{eq:PGINCP(-), 2150 \times 48 \times 13 \mbox{ mm}} \\ \mbox{See matching matrix for correct art no.} \\$

9,5 mm



Expansion profile From laminate to laminate.





Adapter profile From laminate to ceramic, vinyl or linoleum.



Stair nose, flush For a flush finish on stair treads.

Stair nose

For a step down from a floating floor, e.g. at the top of the stairs or a step down in a room.



Transition profile From laminate to carpet.



End profile

Finishing up to threshold, sliding doors, etc.



The Incizo[®] subprofile is required for stair application and has to be ordered separately.

NEINCPBASE(-), 2150 mm See matching matrix for correct art no.

Installation made easy



Combi-Lay Standard NZC-LAY20FS; NZ C-LAY50FS 20/50m² roll Thickness 2mm

Combi-Lay Standard is no normal underlay. The dense, closed cell polyolefin foam provides excellent support, with good reduction of both reflected and impact noise.



Quiet-Step Combi-Lay NZQSC-LAY20FS; NZQSC-LAY50FS 20/50m2 roll Thickness 2mm

Quiet-Step Combi-Lay is the first choice where a quiet step sound and maximum reduction in multistorey noise is required. This high density underlay has no match when it comes to reducing foot fall noise, with a reduction of up to 30% over standard underlays.



Installation kit PGTOOL

Everything you need in one box. Contains tapping block, installation spacers in two sizes $(2 \times 18 = 36 \text{ pcs})$ and a pull bar.

Extra spacers PGSPACER, 48 pcs.

Want a watertight finish?

Optimize your water-resistant laminate floor with a watertight finish. Secure the floor with:



Aqua Sealant PGKITTRANSP, 310 ml

For invisible and waterproof finishing around wallbases, mouldings, transitions, door frames, etc.



Foamstrip NEFOAMSTRIP20, 20 m x 10 mm

PE foam expansion joint filler. Serves as an elastic filler of all dilatation gaps around the floor perimeter. Requires sealing with Aqua Sealant.

Easy to love and live on

The tightly sealed TitanX[™] surface prevents dirt from taking hold, making Pergo laminate floors easy to clean. Our high-quality, ergonomically designed original maintenance accessories make it even easier to keep your floor looking fresh for longer. To maintain the lustre of a Pergo floor, avoid using regular cleaning products such as soaps and detergents as these will form a film on the surface. Pergo's special all-round cleaner removes dirt without leaving a film, if used correctly.



All-round Floor Cleaner PGCLEANALL1000

Specially developed for cleaning laminate, wood and vinyl flooring. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Repair wax PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours that match the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours, please visit pergo.com.

Ordinary cleaning

Damp clean the floor no more than every week or two. Use the recommended cleaner and flat style micro-fibre mop, well wrung out. Do not overuse. Used mop should be washed according to labelling, in 60 °C, without any additives. Do not work in larger areas than $15 - 20 \text{ m}^2$ at a time. Make sure the floor is dry after damp mopping.

Heavily soiled or stained floors

To remove stubborn stains or markings, Use the recommended cleaner and a clean mop, towel or a scratch-free white or red pad if extra treatment is needed. Let it act for a few minutes. Remove the stain by wiping it away with a clean mop dampened with lukewarm water. Repeat if necessary. Wipe dry afterwards.

Stain-removal guide

Locally spotted areas: Apply recommended cleaner to the spot. Let the floor cleaner dissolve the stain for a few minutes. Remove the stain by wiping it away with a clean mop dampened with lukewarm water. Repeat if necessary.

Chocolate, grease, juice, cordials, wine: Spray with recommended cleaner or use warm water added with recommended cleaner. Tar, crayon, lipstick, shoe polish, ink, carbon, nail polish or cigarettes: Methylated spirit, acetone or household solvent, petroleum spirit.

Candle wax and chewing gum: Allow to harden then carefully scrape off.

Avoid wax and polish

A Pergo laminate floor should never be waxed or polished. Never scrub with steel wool or any other coarse material as this may have a negative effect on the appearance and structure.

Additional treatments


Some textured surfaces require special treatment as described: **Matt textures:** Dirt will generally stick harder to floors with matt textures. We therefore recommend that these types of floors be dry cleaned more regularly.

Polished textures: Dried watermarks are often more visible on polished textures. Always wipe with a dry mop after damp cleaning. Floors with bevelled edges: Because water can accumulate in the bevel, be sure to always wipe dry.

Protect your floor


We recommend using soft caster wheels for hard floors on office chairs. Also protect the floor by using felt pads on furniture legs. Always use a doormat at the front entrance.

Here's the key to Pergo durability




Scratch resistance

The TitanX[™] surface offers the best scratch and scuff protection on the market, ensuring that the floor retains its lustre.



Antistatic flooring

The European method EN 14041 is used to measure the body voltage a walking person collects when walking on a floor. A value below 2 kV is required for antistatic floorings.




Wear resistance

A Pergo laminate floor will withstand the abrasion and wear of everyday life, year in and year out.



Impact resistance

A unique multilayer construction and the dense core material protects the floor against dropped objects and high-heeled shoes.



Scratch resistance

Pergo has an extra layer of aluminium oxide particles that make it more resistant to scratches than most comparable laminate floors. For our test we use Scotch Brite® abrasive fleeces. One part of the surface is rubbed 160 times at a load of 0.4 kg, then we look for scratches. Another part of the surface is rubbed 80 times at a load of 0.6 kg, then we measure the change of gloss. We compare our TitanX[™] solutions with four other laminate floors.



WEAR PROTECTION Pergo's patented TitanX[™] surface is the best multilayer protective floor finish on the market, providing wear resistance that exceeds normal standards for commercial environments.



IMPACT RESISTANCE The unique multilayer construction of our TitanX[™] surface, together with a dense core material, provides very high impact resistance for handling dropped objects and high-heeled shoes.



EASIER CLEANING A Pergo floor with TitanX[™] surface is much easier to clean than ordinary floors. The reason is that the TitanX[™] surface is so tightly sealed that dirt simply cannot take hold.



HIGH FIRE RESISTANCE A Pergo floor with TitanX[™] surface has a natural high resistance to fire thanks to its multilayer construction. This, combined with the core's density, allows for faster heat dissipation.



EASY INSTALLATION Pergo's patented PerfectFold installation system makes installation faster and easier because you simply fold the floor into place.



SCRATCH RESISTANCE The TitanX[™] surface has an extra protective layer providing the best scratch- and scuff-resistance on the market, so your Pergo floor will retain its lustre much longer than other laminate floors.



ANTI-STATIC Pergo laminate floors eliminate static electricity. Electrostatic charges are dissipated through electrically conductive graphite in the flooring. This method fulfils the market's most stringent antistatic requirements.



WATER RESISTANCE Pergo combines moistureresistant core materials with a strong and tight clickjoint. On some of our ranges we also apply the unique Aquasafe technology. The result is some of the most water-resistant floors on the market.



HYGIENIC A Pergo laminate floor makes it easier to maintain a high level of hygiene. Bacteria require nourishment and moisture in order to thrive, and the tightly sealed, easy to clean TitanX[™] surface makes this impossible. This provides a high level of hygiene naturally, without chemical antiseptics.



Pergo was the first laminate floor to be certified with the Nordic Ecolabel, the Green Swan. All Pergo laminate floors carry this label. An example of a good environmental product.

Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Contents © 2022 by Unilin bv – division flooring. All Rights Reserved. The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.

Durability designed to last

As a flooring company we have a responsibility that goes beyond just providing stylish interiors. That's why we continually work to minimize our environmental impact through constant innovation, and by challenging the way we produce our floors.

Circularity at the core. At the core of our laminate floors sits a high-density wood fiberboard. Wood is not only a renewable material, it also helps to fight climate change by the amount of CO₂ it absorbs. Trees however have a broader roll than just to deliver wood. They also provide shelter for animals and stimulate biodiversity. So instead of harvesting trees to make floors, we use 100% recovered wood or wooden by-products produced by other industries (like sawmills, forest management, etc) that would otherwise have been burned or discarded. **Running on green energy.** Wood can also be a source of green energy. UNILIN, the group behind Pergo, has invested in two biomass plants where wood waste is converted into energy. This enables us to run our production on 48% renewable energy on a group level.

Exceeding expectations. At Pergo, we challenge ourselves by applying strict criteria when it comes to safety, health and sustainability. We are the inventors of the first laminate floor and we're the first laminate producer to receive the EU ecolabel. All our floors are also certified with the Nordic Swan label.

Up to 90% of our everyday life activities is spent indoors. That's why we are proud to announce that our laminate floors have formaldehyde emission that are many times lower than what is required by the EU standard. In fact it's comparable to natural wood, so walking in a room with a laminate floor is just the same as walking in a forest.

Easy to install, easy to live with. We believe in making floors that will last and bring joy instead of becoming landfill after a few years. That's why we offer a life-long warranty up to 33 years. Thanks to our advanced click technology, you can install your floor glue-free and without the need of tools. This also enables you to de-install your floor without any hassle or damage.











PEFC





Our floors look even better in real life!



pergo.com

FLOORSCAPE

Pergo is brought to you by Floorscape Auckland; Tel.: (09) 476 0428



Cover photo: L0334-03571; Seaside Oak. Product images may differ from actual product. The availability of products, or the products themselves, may change at any time without notice. Pergo is a quality product produced by 🛎 UNILIN bv, division flooring, Ooigemstraat 3, 8710 Wielsbeke, Belgium The contents of this brochure may not be reproduced in whole or in part without prior written permission from the publisher.